Wuxi Guangertai Power Machinery Co.,Ltd dieselenginepumps.com

4 Stroke Single Cylinder Diesel Engine 12V Recoil Start Diesel Engine

Basic Information

Place of Origin: China
Brand Name: GET
Certification: ISO CE
Price: Negotiable
Delivery Time: 15-20 workdays

Payment Terms: LC, T/T, PayPal, Western Union, Small-

amount payment, Money Gram



Product Specification

• Type: Single Cylinder, Vertical, Four-stroke, Direct

Injection, Air-cooled

Borexstroke: 73x59mm, 78x62mm, 86x72mm

Displacement: 247ml, 296ml, 418ml
 Compression Ratio: 20:01, 20:01, 19:01

 Rated Power(kw/rpm): 3.5/3000-3.8/3600 3.68/3000-4/3600 5.7/3000-6.3/3600

• Rated Power(hp/rpm): 4.8/3000-5.2/3600, 5.0/3000-5.4/3600,

7.8/3000-8.6/3600

Rated Speed(rpm): 3000/3600
Lowest Rotation Speed At ≤1300r/min

Zero Load:

Lubricating System: Pressure Splashed
 Starting System: Recoil Start/electric Starter

• Rotation Direction(face To Anticlockwise

The Output Axle):

First Times 0#/simmer\ 10#/winter\ 0E#/shillness\

Product Description

Single Cylinder 5 Hp Air Cooled Diesel Engine GET173F GET178F GET186FA

GET173F 4 Stroke Single Cylinder Air Cooled Diesel Engine Quick Start-Up

Single-cylinder air-cooled diesel engines have been widely used in various applications due to their robustness, reliability, and simplicity. Single-cylinder air-cooled diesel engines have been used in standalone generator sets for both residential and commercial applications. They provide a reliable source of backup power during electrical outages or in areas with limited or unreliable electricity supply. Single-cylinder air-cooled diesel engines have been employed in pumping systems for water supply, irrigation, and dewatering applications. Their reliability and ability to operate in remote areas make them suitable for powering pumps in locations without access to grid electricity.

Model	GET173F	GET1 86FA	GET1 78F
Bore x Stroke mm	296 x 418	-	-
Displacement mL	247	-	-
Compression Ratio	13.5/3000	3.68/3 000	5.7/3 000
Rated Power KW/rpm	4/3600	6.3/36 00	3.8/3 600
Rated Power HP/rpm	5.2/3600	5.4/36 00	8.6/3 600
Rated Speed/≤r/min	-	-	≤130 0
Lubricating system	Pressure splashed	-	-
Starting system	Recoil Start/electric starter	-	-
Rotation direction(face to the output axle)	Anticlockwise	-	-
Fuel type	2.5L,3.5L,5.5L diesel	-	-
Fuel consumption/related rotation speed(g/kW.h///min)	288.3/3600,285.6/3600,281.5/36 00	-	-
Lube oil type	CD grade or SAE 10W-30,15W-40,0.75,1.65L1.1	-	-
Lube oil capacity	12V,0.8kWV,kW	-	-
Starting motor capacity	V,A12V8.3ACharging generator capacity	-	-

GET173F Single Cylinder Air Cooled Diesel Engine: Displacement: Typically around 242 cc (cubic centimeters) Power Output: Can range from 4 to 6 horsepower (hp)

Fuel Type: Diesel

Cooling System: Air-cooled

Starting Method: Manual or electric start options may be available

Application: Suitable for smaller power requirements, such as portable generators and lightweight machinery.



BETge		#81. E.E., BE, SR. Rhibert Ingerstrate, vertal, for-stoke, deal readon, or-code:				
US/48 bondinte	me	75'08	nrot .	00.12		
H & Displacement	76.	(81)	296	40		
Edit Corpressor/tate		20.01	9041	1901		
MESSE Ruled Forey	Millon	9.5/9000 3.8/9000	1.000000 4.5000	5.1988 63380		
MERS hated Power	Hilliam	4,81000 5,21000	1.0000 1.4000	18300		
SCHOOL Select Speed	gar	3000 / 3600				
BEDERINE Lound solder speed of very had	ritros	- 188				
Will fast submaring system		EXTRE Proper sylvines				
Billiotot Starting system		#985F698 fecil femiles contra				
Minimatry (#DYM/6/M) Relation direction(box to the output ank)		BRTT ATEXONAL				
BASE Total Spec		09 (EX1-104 (-0.0) -0.00 (-0.0				
MARKE Fuel lark capacity	L.	2.0	3.6	88		
株式後年平式支持者 Fusionsumptoni MERCHARIO GORDGER NYME)		280-27000E 280-27000E	E% 1000 00.0000	(% 1000 (#1.5000		
REMER Lide of type		(0-page-or/set 10N-91, 15N-91				
RETRIEB Lide of Honorly	L.	175	1.1	1.00		
G In To A Sign Starting motor reportly	11,100	10/10/04				
nazakowa Dunjing promisir superily	V. 8	12/ 83A				
STATE Sales specie	V. m	97 20th	SV 204-	12V 30Av		
MERT Consideration (Lot Roll)	me	430'Y00'Y88	4901493119	30740740		
## to want	No.		16	- 4		











NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA

LITOUTOLOG 44.00111 GO GIOCOTON GITTOPATHOLOGITI