# Red Diesel Welding Generator 186FA 192F Diesel Engine Welder Generator

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Price:
- Delivery Time: 15-20 workdays

China

GET

ISO CE

Negotiable

dieselenginepumps.com

- Payment Terms:
- LC, T/T, PayPal, Western Union, Smallamount payment, Money Gram

Wuxi Guangertai Power Machinery Co., Ltd



### **Product Specification**

<ul> <li>Rated Frequency:</li> </ul>	50hz 60hz
• Rated Power (kw):	2 5
<ul> <li>Rated Voltage (V):</li> </ul>	220V Or As Request
• Rated Currency (A):	8.7 9.5A
Rated Rotation Speed     (r/min):	3000 3600
• Phase No.:	Single Phase
<ul> <li>Power Factor:</li> </ul>	1
• No Load Welding Voltage:	65-70V
<ul> <li>Insulation Grade:</li> </ul>	F
Pole Number:	2
Engine Mode:	GET186FA GET192F
<ul> <li>Displacement(ml):</li> </ul>	418 456
• Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled
Dava V Otvalca (mara).	1 00-70/ 1 00-75

#### GET6500EAW Diesel Generator And Welder Diesel Operated Welding Machine

Portable diesel welder generators have a wide range of applications and are commonly used in various industries and settings. Here are some typical applications where portable diesel welder generators excel:

Construction Sites: Portable diesel welder generators are frequently employed in construction sites where reliable power and welding capabilities are required. They can provide electrical power for operating tools, lighting, and other equipment while simultaneously offering on-site welding capabilities for tasks such as structural welding, repairs, and fabrication.

Off-Grid Locations: In remote or off-grid areas where access to electricity is limited or non-existent, portable diesel welder generators are invaluable. They can power essential tools and equipment, as well as provide on-demand welding capabilities, making them ideal for infrastructure projects, mining operations, and oil and gas exploration sites.

Maintenance and Repair: Diesel welder generators are commonly used for maintenance and repair work in various industries. They enable technicians and welders to carry out welding tasks at different locations, such as equipment repairs, pipeline welding, and maintenance of agricultural machinery.

The versatility, portability, and self-contained nature of portable diesel welder generators make them indispensable in various industries and settings where a combination of power and welding capabilities is needed on the go.

Rated Power (kw):	2 5			
Rated Currency (A):	8.7 9.5A			
Phase No.:	Single Phase			
No Load Welding Voltage:	65-70V			
Pole Number:	2			
Displacement(ml):	418 456			
Bore X Stroke (mm):	1-86x72/ 1-92x75			
Rated Power:	5.7 6.3/ 7.2 8.2			
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40			
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel			
Fuel Tank Capacity (L):	13.5			
Rated Welding Current:	180A 220A			
Welding Load Continous Ratio:	60%			
Electrode Diameter:	1.6-3.2mm 1.6-5.0mm			
Rectifying Mode:	Diode			
Overall Dimension:	720x492x655mm			
Dry Weight:	112kg 116kg			
Rated Frequency:	50hz 60hz			
Rated Voltage (V):	220V Or As Request			
Rated Rotation Speed (r/min):	3000 3600			
Power Factor:	1			
Insulation Grade:	F			
Engine Mode:	GET186FA GET192F			
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air- cooled			
Compression Ratio:	19:01			
Lubrication System:	Pressure Splashed			
Lube Capacity (L):	1.65			
Fuel Consumption (g/kw*h):	≤280			
Continuous Running Time:	8h			
Welding Voltage:	25-30V			
Welding Current Adjustment Range:	50-180A/ 50-200A			
Excitation Mode:	Seperate-excitation+AVR Voltage Regulation AVR			
Connection Mode:	Drive Bearing, Rigid Connection			
Structure Type:	Open Type			

#### 电焊发电机系列 Diesel Welding Generator Series



D C Rudel					
EXHIB Ruled Inquincy	Ha		- 40		
BEESE Relations	107	1.5	2.1		
MIT WILL PLANT VITIGA	- W	100 a	a magazited		
Bill Will Robot Current	A	8.7 . 95	87 85		
Mill Polt Parted speed	-110	100	0.0001		
Net Prase No.		#4 Stoketau			
In 8 808 Press factor	178.0	1			
C-8-814-613 For least metaling unitana	W	6.5			
Mill Wild Gull Planet and day surrand	4.	180	444		
REAL Veloc of an	N	25.30	2.8		
GROUPHEN Paidry land continue rates		403			
STREETING Interpreted adjustment surger		10-160	8-39		
U.S. M.S. 201 Couloule damaker	104	18-33	18-8.8		
that hit publics make		Beywate-excitator +7/9 rotage regulator -7/9 BB			
Mitchit Rettingnote		288000			
Bill/std Canadian Bode			REPARTANCE One being, April Inwedon		
BIRBER Provider grade			1		
RE Departur			7		
ADA NEW Crosses Montal		GETTERIA	Self-self		
ADD ADD MICH. Cropping Topics		\$5. UK. BIH. SH. KISANINANI	inter tertinal busy similar directionariles, air-mediet		
HB Statesment	-	23	406		
ENG-TAIL Barry and when	1993	1.071	1.0275		
Riffith Compression value		1001	1804		
20141 Millia H Rated pirem	100	12 41	12 82		
國東大区 Galekador system		BX 188 BX Peace studed			
REAL PLACE AND AND		CD-pain o IAE 109-30, 109-40			
株学会学業 Lub-Saper/Ap	L	1.01	1.60		
BEDAR DAVID AND A			Thy electric citeries		
BR.B.B.B. Buttery superity	9-A0		-3940		
			0.0 - 0.4 (0.0) 0.0		
WARE Full lype		OR Enumeral VILE Late	Or Caucement 1 - 10.0 Cateford - 20.0 Cateford		
REERING AND A Functionary from	peers.		290		
REPORT AND A Fuerback reparty	1. L	15.4	19.5		
Roll Bull Britesil Continue saving time	8				
Will Solar Invest Tor	olitica (		77		
BRAIL Involvement			#B Date from		
Kill H R Y Creat diversion	1000	707-02700			
和我本書 Cho emight	No.	14.2	116		

<b>G</b> ET Wuxi Guangertai Power Machinery Co.,Ltd						
Q	13813650506	2415819289@qq.com	e	dieselenginepumps.com		
NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA						