



8500T 9500T Dual Fuel Quiet Generator Red 3kw Generator Silent

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GET
- Certification: ISO CE
- Price: Negotiable
- Delivery Time: 15-20 workdays
- Payment Terms: LC, T/T, PayPal, Western Union, Small-amount payment, Money Gram



Product Specification

- Rated Frequency: 50hz 60hz
- Rated Output(kw): 2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
- Max Output (kw): 2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7
- Rated Voltage (V): 220V Or As Request
- Rated Current (A): 11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/ 27.2 28.6
- Rated Rotation Speed (r/min): 3000 3600
- Phase No.: Single Phase
- Power Factor: 1
- Insulation Grade: F
- Pole Number: 2
- Excitation Mode: Self-excitation & Constant Voltage (AVR)
- Panel Type: General Panel
- Receptacle: Two Receptacles
- Operation Mode: Without

for more products please visit us on diesenginepumps.com

Product Description

GET3500T GET6500T GET7500T GET8500T GET9500T Silent Diesel Generator

The models you mentioned, GET3500T, GET6500T, GET7500T, GET8500T, and GET9500T, refer to silent diesel generators. These generators are designed with soundproof enclosures to minimize noise levels during operation. Here are some details about these silent diesel generators:

Rated Frequency:	50hz 60hz
Max Output (kw):	2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7
Rated Current (A):	11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/ 27.2 28.6
Phase No.:	Single Phase
Insulation Grade:	F
Excitation Mode:	Self-excitation & Constant Voltage (AVR)
Receptacle:	Two Receptacles
DC 12V Output:	Connection Pole Output
Dry Weight (kg):	164 150 150 153 161
Noise Level (7m):	72 DB
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled
Displacement(ml):	296 418 456 498 531
Compression Ratio:	20:01, 19:01
Starting System:	Electric Start
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40
Starting Motor Capacity:	12V 0.9KW/ 12V 1.2KW
Battery Capacity:	12V 30Ah
Fuel Tank Capacity (L):	15
Rated Output(kw):	2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
Rated Voltage (V):	220V Or As Request
Rated Rotation Speed (r/min):	3000 3600
Power Factor:	1
Pole Number:	2
Panel Type:	General Panel
Connection Pole:	Without
Overall Dimension(mm):	945*555*700
Working Assorting Weight (kg):	179 185 186 186 187
Structure Type:	Silent Type
Cylinder No. -bore X Stroke (mm):	1-78x62/ 1-86x72/ 1-88x75/ 1-92x75/ 1-95x75
Rated Power:	3.68/3000-4/3600. 5.7/3000-6.3/3600. 6.5/3000-7.2/3600. 7.6/3000-8.2/3600. 8.1/3000-8.7/3600
Lubrication System:	Pressure Splashed
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel
Lube Capacity (L):	1.1/ 1.65
Charging Generator Capacity:	12V 8.3A
Fuel Consumption (g/kw*h):	≤280

GET3500T Silent Diesel Generator:

Power Output: The GET3500T generator typically provides a power output of around 3,500 watts or 3.5 kilowatts (kW).

Engine: It is equipped with a diesel engine designed to generate electrical power.

Soundproof Enclosure: The generator comes with a soundproof enclosure that reduces noise levels during operation.

Fuel Type: These generators run on diesel fuel, known for its efficiency and durability.

Features: Silent diesel generators are designed to operate quietly, making them suitable for noise-sensitive environments.

Common Applications: The GET3500T generator is suitable for various applications, including residential backup power, small businesses, outdoor events, and camping trips.

GET6500T Silent Diesel Generator:

Power Output: The GET6500T generator typically provides a power output of around 6,500 watts or 6.5 kilowatts (kW).

Engine: It is equipped with a diesel engine optimized for power generation.

Soundproof Enclosure: The generator is enclosed in a soundproof housing to minimize noise levels during operation.

Fuel Type: These generators run on diesel fuel, known for its energy density and stable storage.

Features: Silent diesel generators are designed to operate with reduced noise emissions, making them suitable for residential areas or noise-sensitive locations.

Common Applications: The GET6500T generator can handle larger power requirements and is suitable for residential backup power, small businesses, outdoor events, and construction sites.

GET7500T Silent Diesel Generator:

Power Output: The GET7500T generator typically provides a power output of around 7,500 watts or 7.5 kilowatts (kW).

Engine: It is equipped with a diesel engine specifically designed for power generation.

Soundproof Enclosure: The generator is housed in a soundproof enclosure to minimize noise emissions during operation.

Fuel Type: These generators run on diesel fuel, known for its availability and efficient combustion characteristics.

Features: Silent diesel generators typically feature advanced sound insulation and vibration control for quieter operation.

Common Applications: The GET7500T generator is suitable for various applications, including residential backup power, small businesses, outdoor events, and construction sites where noise reduction is essential.

GET8500T Silent Diesel Generator:

Power Output: The GET8500T generator typically provides a power output of around 8,500 watts or 8.5 kilowatts (kW).

Engine: It is equipped with a diesel engine designed for reliable power generation.

Soundproof Enclosure: The generator is enclosed in a soundproof housing to minimize operational noise.

Features: Silent diesel generators often feature advanced noise reduction technology for quiet operation.

GET9500T Silent Diesel Generator:

Engine: It is equipped with a diesel engine optimized for power generation.

Fuel Type: These generators run on diesel fuel, known for its energy density and efficient combustion characteristics.

Common Applications: The GET9500T generator is suitable for various applications, including residential backup power, small businesses, outdoor events, and construction sites where noise reduction is important.

静音发电机系列 Silent Tyne Diesel Generator Series

The image shows two red Silent Tyne Diesel Generators in the foreground. They are rectangular units with a red finish, featuring a control panel with a digital display and various switches. The background is a scenic view of a city skyline at night, with numerous skyscrapers illuminated and their lights reflecting on the calm water in the foreground. The overall scene is set against a clear blue sky.

Performance Specifications					
Item Name	GPU Model	GPU Memory	GPU Temp	GPU Speed	GPU Power
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				
GPU Temp	68°C				
GPU Speed	1.8GHz				
GPU Power	220W				
GPU Model	GeForce RTX 3080	10GB	68°C	1.8GHz	220W
GPU Memory	10GB				

NO.88 Shenxing East Road, Wanshi Town, Yixing City, CHINA